



Zhejiang Foxsun Lighting Co.,Ltd  
浙江富乐照明有限公司

Address: No.7 Wanlong Road, Economic Development Zone, Haichang Street, Haining City Zhejiang, PR China

浙江省海宁市海昌街道经济开发区万隆路7号

Email: manager@foxsun.net Tel: 86-573-87809072

Mob: 86-13511365341 Skype ID: chinaand2

<http://www.foxsun.net>

**FOX SUN LIGHTING**  
Top Quality Of LED Lights We Are Insisting On

The Most Competitive Manufacturer For ETL Slim Downlights In CHINA

Every LEDLIGHT Is Made From Value ,  
**Idea ,Dream Of Foxsun Team**





Since 2008

LED LAMPS

# COMPANY

>>> INTRODUCTION

企业简介

## FOX SUN LIGHTING

富乐照明

Zhejiang Foxsun Lighting is a over 12 years professional manufacture of LED lighting products. Company is based on Jiaxing City ,which is famous for LED lights.

Foxsun specialized in developing,manufacturing and selling led lights since 2008

Now company focus on North Amercian Market & LED Slim Downlights.

Under the professional R & D team and slaes department , our goal is to provide competitive price, stable quality and best service to our client , win win for customers and suppliers

- Why Choose us
- Only Focus on Slim Downlights with J-Box
- ETL and ES Passed
- Over 12 Years LED Light Exoeriences
- ISO9001 & QC Quality Control Systems
- Focus on OEM & ODM for Brand Customers
- Over 300 Workers





International standards  
国际品质标准



Since 2008  
**LED** LAMPS



# ETL Listed Reflect Downlight >>> Foxsun Unique Design



Model No	Description	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF	CRI
FX-DL4-9W-DIM-CC-#E	4 inch Reflect	AC120V	9W	Φ120mm	Φ108mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#E	6 inch Reflect	AC120V	12W	Φ174mm	Φ160mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90
FX-DL6-14W-DIM-CC-#E	6 inch Reflect	AC120V	14W	Φ174mm	Φ160mm	2700K/3000K/3500K/4000/5000K	1000±10%LM	>0.9	80/90
FX-DL4-9W-DIM-CC-#E-S	4 inch Reflect	AC120V	9W	120*120mm	108*108mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#E-S	6 inch Reflect	AC120V	12W	174*174mm	160*160mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90
FX-DL6-14W-DIM-CC-#E-S	6 inch Reflect	AC120V	14W	174*174mm	160*160mm	2700K/3000K/3500K/4000/5000K	1000±10%LM	>0.9	80/90




International standards  
国际品质标准

Since 2008  
**LED** LAMPS



International standards  
国际品质标准



# ETL Listed UGR Downlight

Aluminum Housing



Model No	Description	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF	CRI
FX-DL4-9W-DIM-CC-#R	4 inch Round	AC120V	9W	Φ 120*18mm	Φ 110mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#R	6 inch Round	AC120V	12W	Φ 170*18mm	Φ 155mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90
FX-DL4-9W-DIM-CC-#R-S	4 inch Square	AC120V	9W	Φ 120*18mm	110*110mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#R-S	6 inch Square	AC120V	12W	Φ 170*18mm	155*155mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90



# ETL Listed **5CCT Selectable** Slim Downlight Aluminum Housing



International standards  
国际品质标准




Since 2008

LED LAMPS

Choose Between 5CCT Presets: 2700K (Warm White); 3000K (Soft White); 3500K (Neutral Light); 4000K (Bright Light); 5000K (Day Light) by Adjusting the CCT Button on the J-Box

## CCT Selectable Downlight




2.7K 3K 3.5K 4K 5K


5CCT in One




Model No	Description	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF	CRI
FX-DL4-9W-DIM-CC-#D	4 inch Round	AC120V	9W	Φ 120mm	Φ 108mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#D	6 inch Round	AC120V	12W	Φ 174mm	Φ 160mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90
FX-DL4-9W-DIM-CC-#D-S	4 inch Square	AC120V	9W	120*120mm	108*108mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#D-S	6 inch Square	AC120V	12W	174*174mm	160*160mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90
FX-DL4-9W-DIM-3CC-#D	4 inch 3 CCT	AC120V	9W	Φ 120mm	Φ 108mm	3K-4K-5K selectable	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-3CC-#D	6 inch 3 CCT	AC120V	12W	Φ 174mm	Φ 160mm	3K-4K-5K selectable	850±10%LM	>0.9	80/90
FX-DL4-9W-DIM-5CC-#D	4 inch 5 CCT	AC120V	9W	Φ 120mm	Φ 108mm	2.7K-3K-3.5K-4K-5K selectable	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-5CC-#D	6 inch 5 CCT	AC120V	12W	Φ 174mm	Φ 160mm	2.7K-3K-3.5K-4K-5K selectable	850±10%LM	>0.9	80/90



# Acrylic APP Control RGBCW Downlight Smart Light



International standards  
国际品质标准



## Group Control

Create a group with the app for your smart light



## Voice Control

Works with Alexa Echo Dot and Google Home



Control the Light by the Phone




## Time Setting

Tailor its automatic working time for your need

Model No	Description	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF	CRI
FX-DL4-9W-DIM-CC-#F	4 inch Acrylic	AC120V	9W	Φ146mm	Φ112-120mm	2700K/3000K/3500K/4000/5000K	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC-#F	6 inch Acrylic	AC120V	12W	Φ196mm	Φ162-174mm	2700K/3000K/3500K/4000/5000K	850±10%LM	>0.9	80/90
FX-DL4-9W-DDM-RGBCW-#F	4 inch Acrylic APP RGBCW	AC120V	9W	Φ146mm	Φ112-120mm	2700K-5000K+R G B C W	600±10%LM	>0.9	80/90
FX-DL6-12W-DDM-RGBCW-#F	6 inch Acrylic APP RGBCW	AC120V	12W	Φ196mm	Φ162-174mm	2700K-5000K+R G B C W	850±10%LM	>0.9	80/90



# Reflect App Control RGBW Downlight Smart Light



International standards  
国际品质标准

Since 2008  
**LED** LAMPS

Compatible with Amazon Alexa    Compatible with Siri    Compatible with Google Assistant

Alexa, turn on the kitchen light

Okay

### Voice Control

Control your light with your voice.

### Time Setting


The light bulb will be automatically ON/OFF at your pre-set time.



Model No	Description	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF	CRI
FX-DL4-9W-DDM-TW-#E	4 inch Reflect APP TW	AC120V	9W	Φ120mm	Φ108mm	2700K/3000K/3500K/4000/5000K	550±10%LM	>0.9	80/90
FX-DL6-12W-DDM-TW-#E	6 inch Reflect APP TW	AC120V	12W	Φ174mm	Φ160mm	2700K/3000K/3500K/4000/5000K	800±10%LM	>0.9	80/90
FX-DL4-9W-DDM-RGBW-#E	4 inch Reflect APP RGBW	AC120V	9W	Φ120mm	Φ108mm	2700K-5000K+R G B W	550±10%LM	>0.9	80/90
FX-DL6-12W-DDM-RGBW-#E	6 inch Reflect APP RGBW	AC120V	12W	Φ174mm	Φ160mm	2700K-5000K+R G B W	800±10%LM	>0.9	80/90

**E26 Adapter  
For Recessed Can Only**

**Spring Tabs  
For Recessed Can Only**



**2 Short Screws  
For Shallow J-Box**

**Two Long Screws  
For Deep J-Box**



**Wire Nuts**



International standards  
国际品质标准


**3CCT IN ONE**  
3000K 4000K 5000K

2.7K 3K 3.5K 4K 5K  
**5CCT in One**



**Damp Location** **50,000 hours**

Since 2008 **LED LAMPS**



# ETL Listed LED Disk Light Non-Isolated



Model No	Description	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF
FX-DL6-12W-DIM-CC-#N	5/6 inch Disk Non-Isolated downlight	AC120V	12W	Φ184mm	/	2700K/3000K/3500K/4000/5000K	800LM±5%	>0.9
FX-DL6-12W-DIM-3CC-#N	5/6 inch 3CCT Disk Non-Isolated downlight	AC120V	12W	Φ184mm	/	3000K-4000-5000K	800LM±5%	>0.9





## ETL Listed Wall Switch Control Downlight >>>



International standards  
国际品质标准

Since 2008  
**LED**

## Control the CCT by the Wall Switch

**3CCT IN ONE**  
3000K 4000K 5000K



Model No	Voltage	Power	Size	Hole cutting	CCT	Lumen	PF	CRI
FX-DL4-9W-DIM-CC+A-#D	AC120V	9W	Φ 120mm	Φ 108mm	3K-4K-5K +A selectable / 2.7K-3K-3.5K-4K-5K+A selectable	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-CC+A-#D	AC120V	12W	Φ 174mm	Φ 160mm	3K-4K-5K +A selectable / 2.7K-3K-3.5K-4K-5K+A selectable	850±10%LM	>0.9	80/90
FX-DL4-9W-DIM-XCC-#F	AC120V	9W	Φ 146mm	Φ 112-120mm	Single by Wall Switch Control-Inner-Outer-Both	600±10%LM	>0.9	80/90
FX-DL6-12W-DIM-XCC-#F	AC120V	12W	Φ 196mm	Φ 162-174mm	Single by Wall Switch Control-Inner-Outer-Both	850±10%LM	>0.9	80/90